

# Y607830K7140V0L

#### Y607830K7140V0L Information

Contract and the second	Part Number Manufacturer Category Description Package	Y607830K7140V0L Vishay Foil Resistors (Division of Vishay Precision Group) Resistors Through Hole Resistors RES 30.714K OHM 0.3W 0.005% RAD Radial	
For Reference Only		For the pricing/inventory/lead time, please contact us	
		Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



## Y607830K7140V0L Specifications

Manufacturer Part NumberY607830K7140V0LManufacturerVishay Foil Resistors (Division of Vishay Precision Group)CategoryResistorsThrough Hole ResistorsThrough Hole ResistorsPackageRadialSeriesVHP103Resistance30.714 kOhmsTolerance±0.005%Power (Wats)0.3WCompositionMetal FoilFeatures0.00pm°COperating Temperature Coefficient0.00pm°COperating Temperaturesci°c ~ 125°CPackage / CaseRadialSupplier Device Package.Size / Dimension0.415° L x 0.162° W (10.54mm x 4.11mm)Height - Seated (Max)2Number of Terminations2Composition1Size / Dimension3Size / Dimension0.415° L x 0.162° W (10.54mm x 4.11mm)Size / Dimension0.415° L x 0.162° W (10.54mm x 4.11mm)Size / Dimension2Size / Dimension3Size / Dimension1Size / Dimension2Size / Dimension2Siz			
CategoryResistorsPackageRadialPackageRadialSeriesVHP103Resistance30.714 kOhmsTolerance±0.05%Power (Watts)0.3WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient0.0pm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.415" L x 0.162" W (10.54mm x 4.11mm)Height - Seated (Max)2Number of Terminations2Failure Rate-	Manufacturer Part Number	Y607830K7140V0L	
Through Hole ResistorsPackageRadialSeriesVHP103Resistance30.714 kOhmsTolerance±0.005%Power (Watts)0.3WCompositionMetal FoilFeatures0.0pm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.415° L x 0.162° W (10.54mm x 4.11mm)Height - Seated (Max)2Number of Terminations2Failure Rate-	Manufacturer	Vishay Foil Resistors (Division of Vishay Precision Group)	
PackageRadialSeriesVHP103Resistance30.714 kOhmsTolerance±0.005%Power (Watts)0.3WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient0.0ppm/°COperating Temperature-5°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.415" L x 0.162" W (10.54mm x 4.11mm)Height - Seated (Max)2Number of Terminations2Failure Rate-	Category	Resistors	
Series VHP103   Resistance 30.714 kOhms   Tolerance ±0.005%   Power (Watts) 0.3W   Composition Metal Foil   Features Moisture Resistant, Non-Inductive   Oppm/°C 0.0ppm/°C   Operating Temperature o.5°°C ~ 125°C   Package / Case Radial   Supplier Device Package -   Size / Dimension 0.415" L x 0.162" W (10.54mm x 4.11mm)   Height - Seated (Max) 0.450" (11.43mm)   Number of Terminations 2   Failure Rate -		Through Hole Resistors	
Resistance30.714 kOhmsTolerance±0.005%Power (Watts)0.3WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductivePoperature Coefficient0.0ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.415" L x 0.162" W (10.54mm x 4.11mm)Height - Seated (Max)0.450" (11.43mm)Number of Terminations2Failure Rate-	Package	Radial	
Tolerance±0.005%Power (Watts)0.3WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient0.0ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.415" L x 0.162" W (10.54mm x 4.11mm)Height - Seated (Max)2Failure Rate-	Series	VHP103	
Power (Watts)0.3WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient0.0ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.415" L x 0.162" W (10.54mm x 4.11mm)Height - Seated (Max)2Number of Terminations2Failure Rate-	Resistance	30.714 kOhms	
CompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient0.0ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.415" L x 0.162" W (10.54mm x 4.11mm)Height - Seated (Max)0.450" (11.43mm)Number of Terminations2Failure Rate-	Tolerance	$\pm 0.005\%$	
FeaturesMoisture Resistant, Non-InductiveTemperature Coefficient0.0ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.415" L x 0.162" W (10.54mm x 4.11mm)Height - Seated (Max)0.450" (11.43mm)Number of Terminations2Failure Rate-	Power (Watts)	0.3W	
Temperature Coefficient0.0ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.415" L x 0.162" W (10.54mm x 4.11mm)Height - Seated (Max)0.450" (11.43mm)Number of Terminations2Failure Rate-	Composition	Metal Foil	
Operating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.415" L x 0.162" W (10.54mm x 4.11mm)Height - Seated (Max)0.450" (11.43mm)Number of Terminations2Failure Rate-	Features	Moisture Resistant, Non-Inductive	
Package / CaseRadialSupplier Device Package-Size / Dimension0.415" L x 0.162" W (10.54mm x 4.11mm)Height - Seated (Max)0.450" (11.43mm)Number of Terminations2Failure Rate-	Temperature Coefficient	0.0ppm/°C	
Supplier Device Package-Size / Dimension0.415" L x 0.162" W (10.54mm x 4.11mm)Height - Seated (Max)0.450" (11.43mm)Number of Terminations2Failure Rate-	Operating Temperature	-55°C ~ 125°C	
Size / Dimension 0.415" L x 0.162" W (10.54mm x 4.11mm)   Height - Seated (Max) 0.450" (11.43mm)   Number of Terminations 2   Failure Rate -	Package / Case	Radial	
Height - Seated (Max)0.450" (11.43mm)Number of Terminations2Failure Rate-	Supplier Device Package	-	
Number of Terminations2Failure Rate-	Size / Dimension	0.415" L x 0.162" W (10.54mm x 4.11mm)	
Failure Rate -	Height - Seated (Max)	0.450" (11.43mm)	
	Number of Terminations	2	
	Failure Rate	-	
Report error		Report errors?	

#### Y607830K7140V0L Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE EUARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

#### Y607830K7140V0L Payment Methods





If you have any question about Y607830K7140V0L, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com