

YS6101 Information

Heisener.com

Part Number YS6101

Manufacturer Amphenol Advanced Sensors

Category Circuit Protection

PTC Resettable Fuses

Description THERMISTOR PTC STANDARD +/-30%

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell









YS6101 Specifications

Manufacturer Part Number YS6101 Manufacturer Amphenol Advanced Sensors Category Circuit Protection Package - Series - Type - Voltage - Max - Current - Max - Current - Hold (lh) (Max) - Current - Trip (lt) - Time to Trip - Resistance - Initial (Ri) (Min) - Resistance - Post Trip (R1) (Max) - Resistance - 25°C (Typ) - Operating Temperature - Ratings - Mounting Type - Package / Case - Size / Dimension - Height - Seated (Max) - Thickness (Max) - Lead Spacing - Report errors?	_	
Category Circuit Protection Package - Series - Type - Voltage - Max - Current - Max - Current - Hold (Ih) (Max) - Current - Trip (It) - Time to Trip - Resistance - Initial (Ri) (Min) - Resistance - Post Trip (R1) (Max) - Resistance - 25°C (Typ) - Operating Temperature - Ratings - Mounting Type - Package / Case - Size / Dimension - Height - Seated (Max) - Thickness (Max) - Lead Spacing -	Manufacturer Part Number	YS6101
Package - Series - Type - Voltage - Max - Current - Max - Current - Hold (Ih) (Max) - Current - Trip (It) - Time to Trip - Resistance - Initial (Ri) (Min) - Resistance - Post Trip (R1) (Max) - Resistance - 25°C (Typ) - Operating Temperature - Ratings - Mounting Type - Package / Case - Size / Dimension - Height - Seated (Max) - Thickness (Max) - Lead Spacing -	Manufacturer	Amphenol Advanced Sensors
Package - Series - Type - Voltage - Max - Current - Max - Current - Hold (lh) (Max) - Current - Trip (It) - Time to Trip - Resistance - Initial (Ri) (Min) - Resistance - Post Trip (R1) (Max) - Resistance - 25°C (Typ) - Operating Temperature - Ratings - Mounting Type - Package / Case - Size / Dimension - Height - Seated (Max) - Thickness (Max) - Lead Spacing -	Category	Circuit Protection
Series - Type - Voltage - Max - Current - Max - Current - Hold (Ih) (Max) - Current - Trip (It) - Time to Trip - Resistance - Initial (Ri) (Min) - Resistance - Post Trip (R1) (Max) - Resistance - 25°C (Typ) - Operating Temperature - Ratings - Mounting Type - Package / Case - Size / Dimension - Height - Seated (Max) - Thickness (Max) - Lead Spacing -		PTC Resettable Fuses
Type - Voltage - Max - Current - Max - Current - Hold (lh) (Max) - Current - Trip (It) - Time to Trip - Resistance - Initial (Ri) (Min) - Resistance - Post Trip (R1) (Max) - Resistance - 25°C (Typ) - Operating Temperature - Ratings - Mounting Type - Package / Case - Size / Dimension - Height - Seated (Max) - Thickness (Max) - Lead Spacing -	Package	-
Voltage - Max Current - Max Current - Hold (lh) (Max) Current - Trip (It) Time to Trip Resistance - Initial (Ri) (Min) Resistance - Post Trip (R1) (Max) Resistance - 25°C (Typ) Operating Temperature Ratings	Series	-
Current - Max Current - Hold (Ih) (Max) Current - Trip (It) Time to Trip Resistance - Initial (Ri) (Min) Resistance - Post Trip (R1) (Max) Resistance - 25°C (Typ) Operating Temperature Ratings	Type	-
Current - Hold (Ih) (Max) Current - Trip (It) Time to Trip Resistance - Initial (Ri) (Min) Resistance - Post Trip (R1) (Max) Resistance - 25°C (Typ) Operating Temperature Ratings	Voltage - Max	-
Current - Trip (It) Time to Trip Resistance - Initial (Ri) (Min) Resistance - Post Trip (R1) (Max) Resistance - 25°C (Typ) Operating Temperature Ratings - Mounting Type Package / Case Size / Dimension Height - Seated (Max) Thickness (Max) Lead Spacing - - - - - - - - - - - - -	Current - Max	-
Time to Trip Resistance - Initial (Ri) (Min) Resistance - Post Trip (R1) (Max) Resistance - 25°C (Typ) Operating Temperature Ratings - Mounting Type - Package / Case Size / Dimension Height - Seated (Max) Thickness (Max) Lead Spacing - - - - - - - - - - - - -	Current - Hold (Ih) (Max)	-
Resistance - Initial (Ri) (Min) Resistance - Post Trip (R1) (Max) Resistance - 25°C (Typ) Operating Temperature Ratings - Mounting Type - Package / Case Size / Dimension Height - Seated (Max) Thickness (Max) Lead Spacing - Resistance - Initial (Ri) (Min) - - - - - - - - - - - - -	Current - Trip (It)	-
Resistance - Post Trip (R1) (Max) Resistance - 25°C (Typ) Operating Temperature Ratings - Mounting Type Package / Case Size / Dimension Height - Seated (Max) Thickness (Max) Lead Spacing - Resistance - Post Trip (R1) (Max) - Comparison - Lead Spacing - Comparison - Lead Spacing - Comparison - Lead Spacing - Comparison - Lead Spacing - Comparison - Lead Spacing - Comparison - Lead Spacing	Time to Trip	-
Resistance - 25°C (Typ) - Operating Temperature - Ratings - Mounting Type - Package / Case - Size / Dimension - Height - Seated (Max) - Thickness (Max) - Lead Spacing -	Resistance - Initial (Ri) (Min)	-
Operating Temperature	Resistance - Post Trip (R1) (Max)	-
Ratings - Mounting Type Package / Case - Size / Dimension - Height - Seated (Max) - Thickness (Max) - Lead Spacing	Resistance - 25°C (Typ)	-
Mounting Type Package / Case Size / Dimension Height - Seated (Max) Thickness (Max) Lead Spacing	Operating Temperature	-
Package / Case - Size / Dimension - Height - Seated (Max) - Thickness (Max) - Lead Spacing -	Ratings	-
Size / Dimension - Height - Seated (Max) - Thickness (Max) - Lead Spacing -	Mounting Type	-
Height - Seated (Max) - Thickness (Max) - Lead Spacing -	Package / Case	-
Thickness (Max) - Lead Spacing -	Size / Dimension	-
Lead Spacing -	Height - Seated (Max)	-
	Thickness (Max)	-
Report errors?	Lead Spacing	-
		Report errors?

YS6101 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

YS6101 Payment Methods



















YS6101 Shipping Methods













If you have any question about YS6101, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com