

YSD.00134 Information

Heisener.com

YSD.00134 Part Number

Manufacturer Bel Power Solutions

Category Power Supplies - External/Internal (Off-Board)

DC DC Converters

Description FACEBOOK V2 DC PDU

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









YSD.00134 Specifications

Manufacturer Part Number YSD.00134 Manufacturer Bel Power Solutions Category Power Supplies - External/Internal (Off-Board) DC DC Converters Package - Series * Type - Voltage - Input (Min) - Voltage - Input (Max) - Number of Outputs - Voltage - Output 1 - Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) - Power (Watts) - Applications - Operating Temperature - Efficiency - Mounting Type - Package / Case - Size / Dimension - Report errors?		
Category Power Supplies - External/Internal (Off-Board) DC DC Converters Package - Series * Type - Voltage - Input (Min) - Voltage - Output (Max) - Number of Outputs - Voltage - Output 1 - Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) - Power (Watts) - Applications - Operating Temperature - Efficiency - Mounting Type - Package / Case - Size / Dimension -	Manufacturer Part Number	YSD.00134
Package - Series * Type - Voltage - Input (Min) - Voltage - Input (Max) - Number of Outputs - Voltage - Output 1 - Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) - Power (Watts) - Applications - Operating Temperature - Efficiency - Mounting Type - Package / Case - Size / Dimension -	Manufacturer	Bel Power Solutions
Package - Series * Type - Voltage - Input (Min) - Voltage - Input (Max) - Number of Outputs - Voltage - Output 1 - Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) - Power (Watts) - Applications - Operating Temperature - Efficiency - Mounting Type - Package / Case - Size / Dimension -	Category	Power Supplies - External/Internal (Off-Board)
Series * Type - Voltage - Input (Min) - Voltage - Input (Max) - Number of Outputs - Voltage - Output 1 - Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) - Power (Watts) - Applications - Operating Temperature - Efficiency - Mounting Type - Package / Case - Size / Dimension -		DC DC Converters
Type - Voltage - Input (Min) - Voltage - Input (Max) - Number of Outputs - Voltage - Output 1 - Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) - Power (Watts) - Applications - Operating Temperature - Efficiency - Mounting Type - Package / Case - Size / Dimension -	Package	-
Voltage - Input (Min)-Voltage - Input (Max)-Number of Outputs-Voltage - Output 1-Voltage - Output 2-Voltage - Output 3-Voltage - Output 4-Current - Output (Max)-Power (Watts)-Applications-Operating Temperature-Efficiency-Mounting Type-Package / Case-Size / Dimension-	Series	*
Voltage - Input (Max)-Number of Outputs-Voltage - Output 1-Voltage - Output 2-Voltage - Output 3-Voltage - Output 4-Current - Output (Max)-Power (Watts)-Applications-Operating Temperature-Efficiency-Mounting Type-Package / Case-Size / Dimension-	Type	-
Number of Outputs Voltage - Output 1 Voltage - Output 2 Voltage - Output 3 Voltage - Output 4 Current - Output (Max) Power (Watts) Applications Operating Temperature Efficiency Mounting Type Package / Case Size / Dimension	Voltage - Input (Min)	-
Voltage - Output 1-Voltage - Output 2-Voltage - Output 3-Voltage - Output 4-Current - Output (Max)-Power (Watts)-Applications-Operating Temperature-Efficiency-Mounting Type-Package / Case-Size / Dimension-	Voltage - Input (Max)	-
Voltage - Output 2 Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) - Power (Watts) - Applications - Operating Temperature - Efficiency Mounting Type - Package / Case Size / Dimension	Number of Outputs	-
Voltage - Output 3 Voltage - Output 4 Current - Output (Max) Power (Watts) Applications Operating Temperature Efficiency Mounting Type - Package / Case Size / Dimension - - - - - - - - - - - - -	Voltage - Output 1	-
Voltage - Output 4-Current - Output (Max)-Power (Watts)-Applications-Operating Temperature-Efficiency-Mounting Type-Package / Case-Size / Dimension-	Voltage - Output 2	-
Current - Output (Max) - Power (Watts) - Applications - Operating Temperature - Efficiency - Mounting Type - Package / Case - Size / Dimension -	Voltage - Output 3	-
Power (Watts) - Applications - Operating Temperature - Efficiency - Mounting Type - Package / Case - Size / Dimension -	Voltage - Output 4	-
Applications - Operating Temperature - Efficiency - Mounting Type - Package / Case - Size / Dimension -	Current - Output (Max)	-
Operating Temperature - Efficiency - Mounting Type - Package / Case - Size / Dimension -	Power (Watts)	-
Efficiency - Mounting Type - Package / Case - Size / Dimension -	Applications	-
Mounting Type - Package / Case - Size / Dimension -	Operating Temperature	-
Package / Case - Size / Dimension -	Efficiency	-
Size / Dimension -		-
	Package / Case	-
Report errors?	Size / Dimension	-
		Report errors?

YSD.00134 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

YSD.00134 Payment Methods



















YSD.00134 Shipping Methods













If you have any question about YSD.00134, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com