



ZXGD3112N7TC Information



For Reference Only

Part Number ZXGD3112N7TC

Manufacturer Diodes Incorporated

Category Integrated Circuits (ICs)

PMIC - OR Controllers, Ideal Diodes

Description SYNCH MOSFET CONTROLLER SO-7 T&R

Package 8-SOIC (0.154", 3.90mm Width) 7 leads For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ZXGD3112N7TC Specifications

Manufacturer Part Number ZXGD3112N7TC Manufacturer Diodes Incorporated Category Integrated Circuits (ICs) Package 8-SOIC (0.154", 3.90mm Width) 7 leads Series - Type N+1 ORing Controller FET Type N-Channel Ratio - Input:Output N:1 Internal Switch(s) No Delay Time - ON 400ns Delay Time - OFF 400ns Current - Output (Max) - Current - Supply 260µA Voltage - Supply 4 V ~ 20 V Applications General Purpose Operating Temperature -50°C ~ 150°C Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 7-SO		
Category Integrated Circuits (ICs) PMIC - OR Controllers, Ideal Diodes Package 8-SOIC (0.154", 3.90mm Width) 7 leads Series - Type N+1 ORing Controller FET Type N-Channel Ratio - Input:Output N:1 Internal Switch(s) No Delay Time - ON 400ns Delay Time - OFF 400ns Current - Output (Max) - Current - Supply 260μA Voltage - Supply 4 V ~ 20 V Applications General Purpose Operating Temperature -50°C ~ 150°C Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 7-SO	Manufacturer Part Number	ZXGD3112N7TC
PMIC - OR Controllers, Ideal Diodes Package 8-SOIC (0.154", 3.90mm Width) 7 leads Series - Type N+1 ORing Controller FET Type N-Channel Ratio - Input:Output N:1 Internal Switch(s) No Delay Time - ON 400ns Delay Time - OFF 400ns Current - Output (Max) - Current - Supply 260µA Voltage - Supply 4 V ~ 20 V Applications General Purpose Operating Temperature -50°C ~ 150°C Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 7-SO	Manufacturer	Diodes Incorporated
Package8-SOIC (0.154", 3.90mm Width) 7 leadsSeries-TypeN+1 ORing ControllerFET TypeN-ChannelRatio - Input:OutputN:1Internal Switch(s)NoDelay Time - ON400nsDelay Time - OFF400nsCurrent - Output (Max)-Current - Supply260μAVoltage - Supply4 V ~ 20 VApplicationsGeneral PurposeOperating Temperature-50°C ~ 150°CMounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width) 7 leadsSupplier Device Package7-SO	Category	Integrated Circuits (ICs)
Series - N+1 ORing Controller FET Type N-Channel Ratio - Input:Output N:1 Internal Switch(s) No Delay Time - ON 400ns Delay Time - OFF 400ns Current - Output (Max) - Current - Supply 260µA Voltage - Supply 4 V ~ 20 V Applications General Purpose Operating Temperature -50°C ~ 150°C Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 7-SO		PMIC - OR Controllers, Ideal Diodes
Type N+1 ORing Controller FET Type N-Channel Ratio - Input:Output N:1 Internal Switch(s) No Delay Time - ON 400ns Delay Time - OFF 400ns Current - Output (Max) - Current - Supply 260μA Voltage - Supply 4 V ~ 20 V Applications General Purpose Operating Temperature -50°C ~ 150°C Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 7-SO	Package	8-SOIC (0.154", 3.90mm Width) 7 leads
FET TypeN-ChannelRatio - Input:OutputN:1Internal Switch(s)NoDelay Time - ON400nsDelay Time - OFF400nsCurrent - Output (Max)-Current - Supply260μAVoltage - Supply4 V ~ 20 VApplicationsGeneral PurposeOperating Temperature-50°C ~ 150°CMounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width) 7 leadsSupplier Device Package7-SO	Series	-
Ratio - Input:Output Internal Switch(s) No Delay Time - ON 400ns Delay Time - OFF 400ns Current - Output (Max) - Current - Supply 260μA Voltage - Supply 4 V ~ 20 V Applications General Purpose Operating Temperature -50°C ~ 150°C Mounting Type Surface Mount Package / Case Supplier Device Package 7-SO	Туре	N+1 ORing Controller
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	FET Type	N-Channel
Delay Time - ON400nsDelay Time - OFF400nsCurrent - Output (Max)-Current - Supply260μAVoltage - Supply4 V ~ 20 VApplicationsGeneral PurposeOperating Temperature-50°C ~ 150°CMounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width) 7 leadsSupplier Device Package7-SO	Ratio - Input:Output	N:1
Delay Time - OFF 400ns Current - Output (Max) - Current - Supply 260 μ A Voltage - Supply 4 V ~ 20 V Applications General Purpose Operating Temperature -50°C ~ 150°C Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 7-SO	Internal Switch(s)	No
Current - Output (Max) - $260\mu A$ Voltage - Supply $4 \text{ V} \sim 20 \text{ V}$ Applications General Purpose Operating Temperature $-50^{\circ}\text{C} \sim 150^{\circ}\text{C}$ Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 7-SO	Delay Time - ON	400ns
Current - Supply $260\mu A$ Voltage - Supply $4 V \sim 20 V$ Applications General Purpose Operating Temperature $-50^{\circ}C \sim 150^{\circ}C$ Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 7-SO	Delay Time - OFF	400ns
Voltage - Supply $4 \text{ V} \sim 20 \text{ V}$ ApplicationsGeneral PurposeOperating Temperature $-50^{\circ}\text{C} \sim 150^{\circ}\text{C}$ Mounting TypeSurface MountPackage / Case8-SOIC (0.154", 3.90mm Width) 7 leadsSupplier Device Package7-SO	Current - Output (Max)	-
Applications General Purpose Operating Temperature -50°C ~ 150°C Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 7-SO	Current - Supply	260μΑ
Operating Temperature -50°C ~ 150°C Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 7-SO	Voltage - Supply	4 V ~ 20 V
Mounting Type Surface Mount Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 7-SO	Applications	General Purpose
Package / Case 8-SOIC (0.154", 3.90mm Width) 7 leads Supplier Device Package 7-SO	Operating Temperature	-50°C ~ 150°C
Supplier Device Package 7-SO	Mounting Type	Surface Mount
	Package / Case	8-SOIC (0.154", 3.90mm Width) 7 leads
Report errors?	Supplier Device Package	7-SO
		Report errors?

ZXGD3112N7TC Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ZXGD3112N7TC Payment Methods



















ZXGD3112N7TC Shipping Methods













If you have any question about ZXGD3112N7TC, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com